

**2020 Model Year Standard Specification**



**Principal Dimensions**

**Length overall** (incl. pulpit):  
55'6" (16.92m)

**Length overall** (excl. pulpit):  
53'6" (16.32m)

**Beam** (incl. gunwale):  
14'10" (4.52m)

**Berths:**  
6 - 9

**Draught:**  
3'11" (1.20m) unloaded

**Height above waterline**  
(incl. arch & nav. light mast):  
15'1" (4.60m)

**Transport height:**  
15'11" (4.87m)

**Dry weight** (approx.):  
19.19 tonnes / 21.49 US tons (19,500kg)

**Fuel capacity:**  
530 gallons / 637 US gallons  
(2,412 litres)

**Water capacity** (incl. calorifier):  
120 gallons / 145 US gallons (550 litres)

**Engines  
& Performance**

Twin Volvo Penta D11-725 shaft drive,  
diesel (725mhp each):  
32 knots

Type approval:  
B


Max. persons capacity:  
16

Deck Plans – Galley Up (option)


Main Deck



Lower Deck 3 Cabin with day head & utility area



Lower Deck 4 Cabin



Deck Plans – Galley Down


Main Deck with saloon couch



Main Deck with saloon sideboard



Lower Deck 3 Cabin, Galley Down



## Deck

Anchor chain locker  
Anchor winch (electric)  
Anchor winch controls  
Bathing platform ladder  
Calibrated anchor chain (50m / 27.3 fathoms)  
Ensign & staff  
Fender set  
Foredeck drinks holders  
Foredeck glazing  
Foredeck stowage lockers  
Fuel fillers  
Full set of IMCO navigation lights  
Handrail  
Hot & cold water transom shower  
Moulded non-slip deck surface  
Recessed self-draining area on foredeck for coach-roof cushions

Remote control searchlight  
Riding light  
Self-stowing Delta® anchor (25kg)  
Stainless steel aft fairleads  
Stainless steel bow fairleads  
Stainless steel bow, cockpit, stern & twin spring cleats  
Stainless steel gunwale with rubber inserts  
Stainless steel pulpit  
Teak laid bathing platform  
Twin horns  
Water filler  
Windscreen washers  
Windscreen wipers

## Helm Position

12V socket  
Adjustable/tilt steering wheel  
Bilge pump switches with integral operating warning lights & audible alarms  
Black mesh windscreen covers  
Bow thruster controls  
Controls for engine bay fire extinguisher system  
Drinks holders  
Electronic single-lever throttle & gear controls for port & starboard engines  
Fuel gauges  
Full engine instrumentation inc; tachometers, temperature gauges, audible alarms & engine hour meters  
Garmin GHP 20 autopilot system

Garmin GMI 20 digital multi-function instrument system with colour display  
Garmin VHF 300i marine radio  
High speed magnetic compass  
Opening window  
Powered steering  
Red night-light illumination to helm  
Remote anchor winch controls  
Rudder position indicator  
Searchlight controls  
Settee opposite helm with table  
Switches for navigation & riding lights, windscreen wipers & engine bay extractor fans  
Trim tab controls  
Twin helm seats

## Electrical Systems

230 - 240V 50Hz

All 240V, 24V & 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel

Heavy duty circuit breakers

Isolating switches to all batteries

Onan® 9.5kW generator

12 Volt

Batteries – 2 x heavy duty batteries for Voltage dropper from domestic batteries

24 Volt

Batteries - 2 x heavy duty batteries exclusively for port engine starting

Batteries - 2 x heavy duty batteries exclusively for starboard engine starting

Batteries - 4 x heavy duty batteries wired in parallel supplying domestic services & port engine starting

Circuit breaker for anchor winch  
Emergency battery coupling system permits each engine to start from opposite battery bank

Regulated battery charger

240 Volt

Polarity check & earth leakage protection system

Power points throughout fed from shore power or generator

Regulated 75amp charger for domestic batteries

Shore power supply

Spare circuit breakers for optional equipment

## Cockpit

12V heavy duty weatherproof socket

Access to lazarette or crew cabin

Access to side deck

Bathing platform lights

Boat hook

Deck level lighting

Drinks holders

Engine bay access hatch with stainless steel gas struts

Fender stowage

'J' shaped cockpit seating with adjustable backrest to make sun bed

Life raft stowage

Manual bilge pumps

Mooring warps

Mooring warp stowage

Port side access

Single level floor from cockpit to saloon

Teak laid floor throughout self-draining cockpit

Teak table with drinks holder

Transom gate

White vinyl cover

## Interior Décor

Choice of interior finishes from the Amalfi, Capri, Hamptons or St Tropez interior styling ranges selected by the Fairline Yachts Design Studio

## Hullform & Construction

Antifouling protection to hull  
Bow thruster  
Deep 'V' forward 12.5° deadrise aft  
Design, layout & detailing by the  
Fairline Yachts Design Studio  
Feature windows with opening  
portholes  
Full length moulded spray deflectors  
Hull/deck joint bolted & bonded

Integrally moulded engine bearers  
Isophthalic gel coat backed by  
isophthalic resin-rich powder-bound  
glass mat  
Resin infused cored hull & liner with  
hand-laid deck & components  
Polyurethane foam cores throughout  
deck for strength & thermal insulation

## Saloon

40" Samsung TV with Fusion AV750  
DVD/Radio & wireless connectivity  
Coffee table converts to dining table  
Electric hardtop with pneumatic seal  
& overhead glazing  
FAIRLINE EDITION durable tumblers  
(set of 6)

Overhead lighting  
Random oak flooring  
Sideboard with stowage  
Sliding patio door to cockpit  
Sofas to port & starboard with  
stowage

## Galley

Avonite work surface  
Chopping board to sink infill  
Crockery stowage  
Extractor fan  
FAIRLINE EDITION melamine dinner  
service (24-piece, 6 place settings)  
Fire extinguisher  
First aid kit

Full height fridge/freezer  
Induction hob  
Integrated waste bin  
Microwave combi oven  
Overhead lighting  
Random oak floor  
Sink with hot & cold mixer tap  
Stowage cupboards & drawers

## Lobby

Access to electrical control panel  
Access to master cabin, guest cabin/s  
& day head  
Handrail

Lighting to stair risers  
Space for (optional) domestic  
appliance

## Accommodation

### Master Cabin

Aluminium venetian blinds  
 Double bed with storage drawers  
 Feature windows with opening portholes  
 Mirror

Overhead feature lighting  
 Reading lights  
 Sofa  
 Vanity unit with stool  
 Wardrobe

### Master Cabin En Suite

Aluminium venetian blinds  
 Avonite vanity unit locker & basin with hot & cold pressurised water  
 Electric silent-flush freshwater toilet  
 Extractor fan  
 Full set of bathroom fittings  
 Full size shower with seat & hinged door

Large hull window with single opening port hole  
 Mirror  
 Mirrored lockers  
 Overhead lighting  
 Random oak floor  
 Shower tray automatic pump-out system

### Forward Guest Cabin

Aluminium venetian blinds  
 Bedside table  
 Double bed with storage drawers  
 Escape hatch to foredeck  
 Feature windows with single opening porthole

Overhead glazing with blind  
 Overhead lighting  
 Reading lights  
 Wardrobe with mirrored doors

### Forward Guest Cabin En Suite / Day Head

Aluminium venetian blinds  
 Day access  
 Electric silent-flush freshwater toilet  
 Extractor fan  
 Full set of bathroom fittings  
 Full standing height shower with hinged door

Mirror  
 Mirrored lockers  
 Overhead lighting  
 Random oak floor  
 Shower tray automatic pump-out system  
 Vanity unit locker & basin with hot & cold pressurised water

### Port side Guest Cabin

Aluminium venetian blinds  
 Bedside table  
 Feature windows with single opening porthole  
 Full length berths x 2

Mirror  
 Overhead lighting  
 Reading lights  
 Wardrobe

### Starboard side Guest Cabin

Bedside table  
 Bunk berths x 2

Mirror  
 Wardrobe

## Lazarette

Access through hatch in cockpit seating

## Crew Cabin Optional

Access through hatch in cockpit seating

Electric silent-flush freshwater toilet

Feature window with blind

Full length berth

Hanging locker

Mirror

Opening porthole

Overhead lighting

Power point

Random oak floor

Sink with hot & cold mixer tap

## Engines & Sterngear

Automatic bilge pumps for forward bilge, engine bay & rudder bay with manual 'on' override

Automatic engine bay fire extinguisher system

Dripless shaft seals

Electric engine bay fans

Electro-hydraulic trim tabs with cathodic protection

Engine air intakes

Engine bay lights

Engine room soundproofing

Exhaust overheat warning system

High capacity emergency manual bilge pump system with dedicated valves

Manganese bronze 'P' brackets

Manganese bronze propellers contra-rotating

Sea cocks on all inlets/outlets below waterline

Stainless steel alloy shafts

## Fuel System

Changeover valve system enabling each engine to draw fuel from/return fuel to, either tank

Emergency fuel shut-off valves accessible via cable-operated remote control

High capacity water separators & fuel filters

Individual fillers & vents to port & starboard

Twin fuel tanks

## Freshwater System

Automatic, pressurised supply  
Calorifier hot water system

Water tank

## Waste Water System

Holding tank (170 litres) with electric macerator pump-out

## USA Specifications

In addition to or in lieu of those listed above

Voltage - 2 x 110V (220V) 60Hz

Whilst every effort is made to keep all sales literature up to date, it should not be regarded as an infallible statement of current specifications & does not constitute an offer for the sale of any particular boat. We continually seek to improve the specification & design of our boats, so alterations & upgrades to specifications take place continually.

Appointed dealers are not agents of Fairline Yachts Ltd & are not authorised to commit Fairline Yachts Ltd by any express or implied undertaking or representation.

Performance Figures: Power quoted in our literature for diesel inboard engines is crankshaft output.

Performance Estimates: Performance estimates are given in good faith, but are in no way guaranteed for any particular model. Dirt on the bottom of the boat, damage to the propellers, engine tuning, external water & air temperatures & the weight of crew, fuel & water carried can all adversely affect performance. For those & other reasons we can give no performance guarantees